


AROCLOR 1254/1260


Column

Phase	MEGA-SE54
I.D.	0.32 mm
Film Thickness	0.25 µm
Length	25 m

AROCLOR 1254



AROCLOR 1260



Chromatographic Conditions

Injection	Split	250°C
Split Ratio	1:30	
Injection volume	1.0 µL	
Oven	T start	100°C
	Rate	3.5°C/min
	T end	250°C
Detector	ECD	300°C
Make up	Methane	
Carrier Gas	Hydrogen	70 kPa