

Column: **MEGA-10 - 0.25mm, 0.20µm, 100m**

Catalog Code: C-10-025-020-100

Conditions:

Oven Temp.: 100°C (4 min), 12°C/min, 190°C (3min)
2°C/min, 210°C (5 min), 12°C/min, 190°C (10 min),
8°C/min, 230°C (3 min).

Carrier Gas: Nitrogen, 1mL/min constant flow.

Peaks:

- | | |
|------------------------------------|--|
| 1. C4:0 Methyl Butyrate | 20. C18:2T Methyl Linoelaidate |
| 2. C6:0 Methyl Hexanoate | 21. C18:3 Methyl Linolenate |
| 3. C8:0 Methyl Octanoate | 22. C18:3 Methyl Gamma Linolenate |
| 4. C10:0 Methyl Decanoate | 23. C20:0 Methyl Arachidate |
| 5. C11:0 Methyl Undecanoate | 24. C20:1 Methyl 11-eicosenoate |
| 6. C12:0 Methyl Laureate | 25. C21:0 Methyl Heneicosanoate |
| 7. C13:0 Methyl Tridecanoate | 26. C20:2 Methyl 11-14 Eicosadienoate |
| 8. C14:0 Methyl Myristate | 27. C22:0 Methyl Behenate |
| 9. C14:1 Methyl Myristoleate | 28. C22:1 Methyl Erucate |
| 10. C15:0 Methyl Pentadecanoate | 29. C:20:3 Methyl 11-14-17 Eicosatrienoate |
| 11. C15:1 Methyl 10-Pentadecanoate | 30. C20:3 Methyl Homogamma linolenate |
| 12. C16:0 Methyl Palmitate | 31. C20:4 Methyl Arachidonate |
| 13. C16:1 Methyl Palmitoleate | 32. C23:0 Methyl Tricosanoate |
| 14. C17:0 Methyl Heptadecanoate | 33. C22:2 Methyl Docosadienoate |
| 15. C17:1 Methyl 10-Heptadecanoate | 34. C24:0 Methyl Lignocerate |
| 16. C18:0 Methyl Stearate | 35. C20:5 Methyl Eicosapentaenoate |
| 17. C18:1 Methyl Oleate | 36. C24:1 Methyl Nervonate |
| 18. C18:1T Methyl Elaidate | 37. C22:6 Methyl Docosahexaenoate |
| 19. C18:2 Methyl Linoleate | |
| 20. C18:2T Methyl Linoelaidate | |